






Flood Light Series

1278U



Specification

Product Code	278UD-36	1278UC-36	1278UR-36	278UF-18
Led品牌/ Led Brand	LUMILEDS/CREE	LUMILEDS/CREE	LUMILEDS/CREE	CREE RGBW 4 in 1
Led数量/ Led Quantity	36pcs	36pcs (9R 9G 9B 9W)	36pcs	18pcs
额定功率/ Rated Power	150W	90W	150W	150W
输入电压/ Input Voltage	AC100-305V	AC100-305V	AC100-305V	AC100-305V
频率/ Frequency Range	50/60Hz	50/60Hz	50/60Hz	50/60Hz
颜色 / Color	Single	RGBW/RGBA/Single	RGBW	RGBW
发光角度/ Beam Angle	2.6° 3.5° 12° 20° 30° 60° 10X70° 5X20°			8° 25° 10X45°
控制方式/ Control Mode	CC	DMX512/RDM/CC	Bluetooth/DMX512	DMX512/RDM
使用寿命/ Life	50000H	50000H	50000H	50000H
防护等级/ Protection Grade	IP66	IP66	IP66	IP66
环境温度/ Ambient Temperature	-25℃~50℃	-25℃~50℃	-25℃~50℃	-25℃~50℃
环境湿度/ Ambient Humidity	10%~90%	10%~90%	10%~90%	10%~90%



Flood Light Series

1278U



1278S

